

Warranty

The PorterPack is guaranteed to be free from manufacturing defects for one (1) year from the original date of purchase.

Defective products will be repaired or replaced at Xtracycle's discretion. To determine if a warranty claim is valid you may be required to return the product to Xtracycle for inspection. Xtracycle is not responsible for removal, installation or shipping costs. This warranty applies only to the original buyer and is not transferable.

This warranty does not cover damage from use of this product outside of its intended range or that resulting from modification or neglect. It also does not cover wear and tear resulting from the normal use of the product.

XTRACYCLE

PorterPack - Black

Take your cargo carrying to the new FRONTier!

For EdgeRunners with PorterRacks installed.



Care and Handling

After each trip be sure to clean out your pack thoroughly.

Do not wash in washing machine.

Use mild soap, warm water and a soft brush to clean fabric and zippers.

Hang dry outdoors or in a well-ventilated area out of direct sunlight.

Our mission:
To empower people with transformational tools that move the body and spirit.



www.xtracycle.com



REV1

www.xtracycle.com



Step 1: The PorterPack comes with two side-stiffening sheets made out of grey plastic.

The stiffening sheets slip into pockets on the inside of the bag, one per side. The square end slides in first, plastic side out towards the outside of the bag, with the pointed corner at the top. Make sure they slide all the way forward, so that the rear edge tucks into the seam at the back of the bag. This will keep them from slipping out.



Step 2: The PorterPack attaches to the PorterRack using a velcro strap on the underside of the PorterPack and 2 clips located on the back of the PorterPack (concealed under a pair of velcro flaps).

Before installing the PorterPack to the PorterRack, flip up the flaps on the back side to reveal the clips.



Step 3: Slide the clips over the crossbars of the PorterRack, then flip the flaps back over them.



Step 4: Fasten the velcro strap around the center of the PorterRack.



Step 4: Load up and ride!

WARNING

Read before first ride!

-  The maximum load weight for the PorterPack is 17 pounds (7.7 kg). Follow the installation instructions to make sure it is installed properly.
-  Ride with common sense. Your bike will handle better and be safer if you put heavy things at the bottom of the bag and zip the bag closed.
-  Don't let any straps or cords dangle, as they could get caught in your spokes.
-  Only carry loads below the height of your handlebars. Brake and derailleur cables impeded by tall loads can dangerously alter bike handling and steering.
-  No carrying of live cargo.